Fireclay Tile - Recycled Ceramic Tile by Fireclay Tile

Health Product Declaration v2.1

created via: HPDC Online Builder

CLASSIFICATION: 09 30 00.00 Finishes: Tiling

PRODUCT DESCRIPTION: Over 50% of the Recycled Clay Body is made from recycled content including post-consumer recycled porcelain/glass and pre-consumer recycled granite dust. In addition, we recycle our own tile and glaze. The clay body is made of raw materials sourced in the USA and every tile is handcrafted at our Aromas, CA factory. All of our tiles are 100% VOC free. All of our 150 glazes are 100% lead-free. As with all handmade tile, some degree of color variation is expected. Our ceramic tile is stoneware tile, which differs from porcelain in the coarseness of the clay, the lower firing temperature and overall porosity. Our ceramic tile has a class A fire rating, is durable and extremely easy to maintain. If maintained properly, our tile can be enjoyed for a lifetime.



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold level	Residuals/Impurities	Are All Substances Abo	ve the Threshold Indicated:
Nested Materials Method Basic Method	 100 ppm 1,000 ppm Per GHS SDS	Considered Partially Considered Not Considered	Characterized Percent Weight and Rol	© Yes Ĉ No le Provided?
Threshold Disclosed Per Material	© Per OSHA MSDS © Other	Explanation(s) provided for Residuals/Impurities? Yes No	Screened	© Yes ○ No
© Product			Identified	ists with Results Disclosed?

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

FIRECLAY TILE - RECYCLED CERAMIC TILE [SILICA, AMORPHOUS LT-P1 | CAN ALUMINUM OXIDE LT-P1 | RES FRITS, CHEMICALS (UNLEADED) LT-P1 | MUL FERRIC OXIDE BM-2 | CAN QUARTZ LT-1 | CAN]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

"Ceramic" is regarded as a special condition by the HPD collaborative and not screened. Ceramic Tile is considered as a single component resulting from chemical and physical reactions from the high temperatures reached in the kiln. No warnings or hazards are associated with the final, finished product.

Name and Identifier Provided?

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings. VOC emissions: Environmental Product Declaration (EPD) by UL - Industry

Generic

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?	PREPARER: Self-Prepared VERIFIER:	SCREENING DATE: 2018-10-04 PUBLISHED DATE: 2018-10-02
○ Yes ○ No	VERIFICATION #:	EXPIRY DATE: 2021-10-04



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

FIRECLAY TILE - RECYCLED CERAMIC TILE

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: "Ceramic" is regarded as a special condition by the HPD collaborative and not screened. Ceramic tile is considered a single component created by the high temperature in the kiln. Ceramic tile does not have residuals or impurities in the finished product. There are no warnings or hazards for ceramic tile.

OTHER PRODUCT NOTES: During the high temperature firing in the kiln, ceramic tile is created as a single component. There are no warnings or hazards for ceramic tile. There are no volatile organic compounds, VOC's.

SILICA, AMORPHOUS				ID: 7631-86-9
%: 45.0000 - 55.0000	GS: LT- P1	RC: None	NANO: No	ROLE: A main ingredient in our pre-fired recycled body ceramic tile.
HAZARDS:	AGENCY(IES	s) WITH WARNING	S:	
CANCER	Japan - (Japan - GHS		Carcinogenicity - Category 1A
CANCER	Australia	- GHS		H350i - May cause cancer by inhalation

SUBSTANCE NOTES: Do to the high temperature firing in the kiln, the finished product is inert and poses no risk.

ALUMINUM OXIDE		ID: 1344-28-1	
%: 15.0000 - 25.0000	GS: LT-P1 RC: Both NANO	P: No ROLE: One of the main ingredients in our recycled ceramic tile.	
HAZARDS:	AGENCY(IES) WITH WARNINGS:		
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced	

SUBSTANCE NOTES: Do to the high temperature firing in the kiln, the finished product is inert and poses no risk.

AGENCY(IES) WITH WARNINGS:

FRITS, CHEMICALS (UNLEADED)

ID: 65997-18-4

%: 5.0000 - 15.0000 ROLE: One of the main ingredients in our recycled ceramic tile for the GS: LT-RC: NANO: P1 None No body and glazes.

Fireclay Tile - Recycled Ceramic Tile

HPD v2.1 created via HPDC Builder Page 2 of 5

HAZARDS:

SUBSTANCE NOTES: Do to the high temperature firing in the kiln, the finished product is inert and poses no risk.

FERRIC OXIDE ID: 1309-37-1

%: 2.0000 - 3.0000	GS: BM-2	RC: None	nano: No	ROLE: Used for color of body and glazes.
HAZARDS:	AGENCY(IES) WITH	I WARNINGS:		
CANCER	MAK			Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: Do to the high temperature firing in the kiln, the finished product is inert and poses no risk.

QUARTZ ID: 14808-60-7

%: 0.0000 - 1.0000		help fuse and control shrinkage of body. Used to help istance of glazes.
HAZARDS:	AGENCY(IES) WITH WARNINGS:	
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CANCER	New Zealand - GHS	6.7A - Known or presumed human carcinogens
CANCER	Japan - GHS	Carcinogenicity - Category 1A
CANCER	Australia - GHS	H350i - May cause cancer by inhalation

 $\hbox{\scriptsize {\tt SUBSTANCE\ NOTES:}}\ \textbf{Do\ to\ the\ high\ temperature\ firing\ in\ the\ kiln,\ the\ finished\ product\ is\ inert\ and\ poses\ no\ risk.}$



Section 3: Certifications and Compliance

st=1&sl=62551949&crit=a2V5d29yZDpbdGNuYV0%3d&ss=2&k=tcna&t=tcna

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	Environmental Product Declaration (EPD) by UL - Industry Generic		
CERTIFYING PARTY: Third Party	ISSUE	EXPIRY	CERTIFIER OR LAB:
APPLICABLE FACILITIES: Aromas, CA.	DATE:	DATE:	UL
CERTIFICATE URL:	2014-	2019-	Environment
https://spot.ulprospector.com/en/na/BuiltEnvironment/Detail/32607/693679/Ceramic-	10-24	10-24	Inc. Industry
Tile-Made-in-North-America?			Wide EPD

CERTIFICATION AND COMPLIANCE NOTES: The EPD is an industry wide certificate for tile made in North America. Ceramic Tile does not give off VOCs.



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

MORTAR AND GROUT

HPD URL: No HPD Available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Accessory materials are required for all installations. VOC content of mortar and grout varies depending on the product selected.



Section 5: General Notes

Fireclay Tile's Recycled Body Ceramic Tile does not contain any volatile organic compounds, VOC's. Fireclay Tile recycles our own tile and glaze waste and reincorporates it into our Recycled Clay Body Ceramic Tile. The Recycled Clay Body may qualify for LEED points: MR 4.1/4.2: Recycled Content (1-2 points), MR 5.1/5.2: Regional Materials (2 points), and EQ 4.2: Low-Emitting Materials (1 point). "Ceramic" is regarded as a special condition by the HPD collaborative and not screened. Ceramic Tile is considered as a single component resulting from chemical and physical reactions from the high temperatures reached in the kiln. No warnings or hazards are associated with the final, finished product.

MANUFACTURER INFORMATION

MANUFACTURER: Fireclay Tile

ADDRESS: 901 Brannon Street

San Francisco CA 94019, United States

WEBSITE: www.fireclaytile.com

CONTACT NAME: Paul Burns

TITLE: Founder & Chief Ceramicist

PHONE: 800.773.2226

EMAIL: paul@fireclaytile.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity **END** Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive) **REP** Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient

information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.